

United States Patent and Trademark Office



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/092,449	03/08/2002	Toshihiko Ariyoshi	Q68880	1421
7590 10/27/2003			EXAMINER	
SUGHRUE, MION, ZINN, MACPEAK & SEAS, PLLC			KIM, RICHARD H	
2100 Pennsylva Washington, D	inia Avenue, N.W.		ART UNIT	PAPER NUMBER
washington, D	20037		2871	

DATE MAILED: 10/27/2003

Please find below and/or attached an Office communication concerning this application or proceeding.

'			
,	Application No.	Applicant(s)	•
	10/092,449	ARIYOSHI ET AL.	
Office Action Summary	Examiner	Art Unit	
	Richard Kim	2871	
The MAILING DATE of this communication Period for Reply	appears on the cover sheet v	vith the correspondence address	
A SHORTENED STATUTORY PERIOD FOR RE THE MAILING DATE OF THIS COMMUNICATIO - Extensions of time may be available under the provisions of 37 CFF after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above, the maximum statutory per - Failure to reply within the set or extended period for reply will, by state - Any reply received by the Office later than three months after the may earned patent term adjustment. See 37 CFR 1.704(b). Status	N. R 1.136(a). In no event, however, may a reply within the statutory minimum of the riod will apply and will expire SIX (6) MC atute, cause the application to become A	reply be timely filed irty (30) days will be considered timely. NTHS from the mailing date of this communicatio BANDONED (35 U.S.C. § 133).	n.
1) Responsive to communication(s) filed on _	·		
2a)⊠ This action is FINAL . 2b)□	This action is non-final.		
Since this application is in condition for all closed in accordance with the practice und			is
Disposition of Claims	onnliaation		
4)⊠ Claim(s) <u>1,2 and 4-8</u> is/are pending in the a 4a) Of the above claim(s) is/are without			
5) Claim(s) is/are allowed.	mawii ilom consideration.		
6)⊠ Claim(s) <u>1,2 and 4-8</u> is/are rejected.			
7) Claim(s) is/are objected to.			
8) Claim(s) are subject to restriction and	d/or election requirement.		
Application Papers			
9)☐ The specification is objected to by the Exam	iner.		
10)☐ The drawing(s) filed on is/are: a)☐ ad	ccepted or b) objected to by	the Examiner.	
Applicant may not request that any objection to	<u> </u>	• • • • • • • • • • • • • • • • • • • •	•
11)☐ The proposed drawing correction filed on	is: a) approved b)	disapproved by the Examiner.	
If approved, corrected drawings are required in	, ·		
12) ☐ The oath or declaration is objected to by the	Examiner.		
Priority under 35 U.S.C. §§ 119 and 120			
13) Acknowledgment is made of a claim for fore	eign priority under 35 U.S.C.	§ 119(a)-(d) or (f).	
a)⊠ All b)□ Some * c)□ None of:			
 Certified copies of the priority docume 	ents have been received.		
2. Certified copies of the priority docume			
3. Copies of the certified copies of the p application from the International* See the attached detailed Office action for a limit of the certified copies of the particular and the certified copies of the particular action for a limit of the certified copies of the particular action for a limit of the certified copies of the particular action from the certified copies of the particular action from the part	Bureau (PCT Rule 17.2(a)).	_	
14) ☐ Acknowledgment is made of a claim for dome	estic priority under 35 U.S.C	. § 119(e) (to a provisional applicat	ion).
a) ☐ The translation of the foreign language 15)☐ Acknowledgment is made of a claim for dome	• • • • • • • • • • • • • • • • • • • •		
Attachment(s)			
1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449) Paper No(s	5) Notice of	Summary (PTO-413) Paper No(s) Informal Patent Application (PTO-152)	

Application/Control Number: 10/092,449 Page 2

Art Unit: 2871

DETAILED ACTION

Claim Rejections - 35 USC § 103

- 1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 2. Claims 1, 2, 7 and 8 are rejected under 35 U.S.C. 103(a) as being unpatentable over Bao et al. (US 6,266,108) in view of Mamiya et al. (US 5,764,322) and Mashino et al. (US 5,886,759).

Referring to claim 1, Bao et al. discloses a reflection type liquid crystal display apparatus comprising a light source (Fig. 1, ref. 30); and a liquid-crystal display device including a lower substrate (Fig. 1, ref. 2) provided with a reflection plate (Fig. 1, ref. 8), and upper substrate (Fig. 1, ref. 1) provided with a transparent film (Fig. 1, ref. 20) on which a light reflecting element is provided for reflecting transmitted light toward the lower substrate side (Fig. 1, ref. 21), and liquid crystal held between the lower substrate and the upper substrate (Fig. 1, ref. 3), the light source being disposed at an outer end surface of the upper substrate (Fig. 1 ref. 30), the liquid-crystal display device being configured so that light incident onto a surface of the upper substrate opposite to a contact surface of the upper substrate with the liquid crystal is reflected by the reflection plate of the lower substrate so as to exit from the surface of the upper substrate opposite to the contact surface of the upper substrate with the liquid crystal (Fig. 2, external light; col. 8, lines 29-39). However, the reference does not disclose that at least one of the end

Art Unit: 2871

surfaces of the upper substrate except the end surface on which the light source is disposed is coated with a reflection layer.

Mashino et al. discloses a device wherein at least one of the end surfaces except the end surface on which the light source is disposed is coated with a reflection layer (see Fig. 2, ref. 73).

It would have been obvious to one having ordinary skill in the art at the time the invention was made to have at least one of the end surfaces except the end surface on which the light source is disposed is coated with a reflection layer since one would be motivated to "improve the display quality by preventing light leakage in the end portion of a display window..." (abstract). Moreover, even though the reference does not disclose that the end surface of the *upper substrate* is disposed with a reflection coating, the reflection layer of Mashino is similarly coated at the end of the light guide layer. Therefore, disposing the reflection layer on the light guide layer, whether the layer is an upper substrate or lower substrate, would be obvious.

Further, the reference does not disclose than an end portion of the upper substrate is protruded more than a corresponding end portion of the lower substrate so that the light source is disposed on the protruded end surface of the upper substrate.

Mamiya et al. discloses an end of a lower substrate is protruded more than a corresponding end portion of the upper substrate so that the light source is disposed on the protruded end surface of the lower substrate (see Fig. 8, ref. 122).

It would have been obvious to one having ordinary skill in the art at the time the invention was made to have the end portion of the upper substrate protruded more than a corresponding end portion of the lower substrate so that the light source is disposed on the

Application/Control Number: 10/092,449

Art Unit: 2871

protruded end surface of the upper substrate in order to have the light source in close proximity to the transparent film, thereby allowing light to be transmitted through the film while minimizing coupling loss.

Referring to claim 2, Bao et al., Mashino et al. and Mamiya et al. disclose the device previously recited. However, Bao et al. does not disclose that the reflection layer is a reflection sheet.

Mashino et al. disclose that the reflection layer is a reflection sheet (see col. 4, lines 47-49).

It would have been obvious to one having ordinary skill in the art at the time the invention was made for the reflection layer to be a reflection sheet since one would be motivated to "improve the display quality by preventing light leakage in the end portion of a display window..." (abstract).

Referring to claims 7 and 8, Bao et al., Mashino et al. and Mamiya et al. disclose the device previously recited. However, Bao et al. does not disclose that a polarizer is disposed on the surface of the upper substrate opposite to the contact surface of the upper substrate with the liquid crystal, and that an end portion of the polarizer is protruded more than a corresponding end portion of the lower substrate so that the light source is disposed on the protruded end ruface of the upper substrate and the polarizer.

Mamiya et al. discloses a polarizer disposed on the surface of a substrate opposite to the contact surface of the upper substrate with the liquid crystal (see Fig. 8, ref. 116) and that an end portion of the polarizer is protruded more than a corresponding end portion of the upper substrate

Art Unit: 2871

so that the light source is disposed on the protruded end surface of the lower substrate and the polarizer (see Fig. 8, ref. 116).

It would have been obvious to one having ordinary skill in the art at the time the invention was made to have a polarizer disposed on the surface of a substrate opposite to the contact surface of the upper substrate with the liquid crystal and that an end portion of the polarizer is protruded more than a corresponding end portion of the lower substrate so that the light source is disposed on the protruded end surface of the upper substrate and the polarizer in order to improve the quality (ie. brightness, viewing angle) of the liquid crystal display by polarizing the light.

3. Claims 4-6 are rejected under 35 U.S.C. 103(a) as being unpatentable over Bao et al., Mashino et al. and Mamiya et al., in view of Sanai et al. (US 5,029,045).

Bao et al., Mashino et al. and Mamiya et al. disclose the device previously recited.

However, the references do not disclose that a reflection plate, wherein the inner surface of the frame is made of a metal plate having a light reflection function, is provided on an inner surface of a frame so that at least one end surface of the liquid crystal display device is disposed closely on the frame.

Sanai et al. discloses a reflection plate, wherein the inner surface of the frame is made of a metal plate having a light reflection function, is provided on an inner surface of a frame (see col. 3, lines 59-68) so that at least one end surface of a liquid crystal display device is disposed closely on the frame (see col. 3, lines 63-64).

Application/Control Number: 10/092,449

Art Unit: 2871

It would have been obvious to one having ordinary skill in the art at the time the invention was made to have the reflection plate, wherein the inner surface of the frame is made of a metal plate having a light reflection function, is provided on an inner surface of a frame so that at least one end surface of the liquid crystal display device is disposed closely on the frame since one would be motivated to improve the performance of the LCD. According to Sanai et al., such a modification reduces leakage from the device and also "achieve[s] uniform luminance over all the face of the light guide" (see col. 4, lines 25-26). Moreover, whether having the reflection plate an integral part of the frame or separately attached to the frame, either modification allows for internal reflection of the transmitted light within the frame, and therefore would be functionally equivalent.

Page 6

Response to Arguments

- 4. Applicant's arguments filed 7 August 2003 have been fully considered but they are not persuasive.
- 5. In response to Applicant's argument that the cited references do not teach that an end portion of the upper substrate is protruded more than a correspond end portion of the lower substrate so that the light source is disposed on the protruded end surface of the upper substrate, Examiner asserts that whether the upper substrate is longer than the lower substrate or vice versa, typically the substrate with the light source is longer than the other one, as evident is Fukiharu (US 6,603,519 B2). Fukiharu illustrates examples of where the lower substrate is longer than the upper substrate (see Fig. 1) and the upper substrate is longer than the lower substrate (see Fig. 5).

Art Unit: 2871

Therefore it is clear that the substrate that contains the light source is typically made the longer one, and distinguishing between the two is obvious.

6. Applicant's arguments with respect to claim 1-7 have been considered but are moot in view of the new ground(s) of rejection.

Conclusion

7. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Richard Kim whose telephone number is (703)305-4791. The examiner can normally be reached on 9:00-6:30 M-F.

Application/Control Number: 10/092,449 Page 8

Art Unit: 2871

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Robert H Kim can be reached on (703)305-3492. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703)308-0956.

Richard Kim Examiner Art Unit 2871

RHK

TOANTON TOANTON TOANTON